



KS TOOLS®

eMONSTER

e18





# THE 18V **eMONSTER** SERIES WITH 30 YEARS OF EXPERTISE IN THE TOOL MARKET

Under 30 years of tireless work and dedication, we have established ourselves as a leading force in the tool market. Our many years of experience and expertise have enabled us to develop tools of the highest quality, that meet the needs of professionals and enthusiasts.

Our dedicated development team is at the core of our success. With passion and innovation, we lay the foundation for first-class tools. In 30 years of continuous work, we have expanded our skills to create reliable tools. Innovation is our hallmark. Day after day, we set new standards and enrich the tool market with creative solutions.



Our passion for progress spurs us on to design tools for today's and tomorrow's requirements. Our team consists of engineers and craftsmen. Thanks to a deep understanding of materials, technology, and areas of application, we create tools that impress in terms of performance and durability.

## **Our dedication to quality:**

Our products are characterized by their outstanding nature. We provide a wide range of hand tools, special automotive tools, and power tools of the highest quality. Professionals can rest assured that our solutions are reliable and that our products are designed to be extremely user-friendly.

## **Responsibility is at the heart of everything we do:**

The importance of responsibility is enormous. At KS Tools, we take responsibility for the well-being of professionals and their environment. That is why we implement security systems in our products and services to ensure the highest possible safety standards.

## **Passion for our work:**

What drives our passion for our work? Our groundbreaking products impress professionals with their functional design and ergonomic design. This passion for excellence spurs us and inspires us to develop innovative solutions continuously.

# FREE WARRANTY- EXTENSION



Register your  
**eMONSTER** Battery Tool  
and get

**10 years warranty**

on the brushless motor!



Your **eMONSTER ASSISTANT** has not only been involved in the development of the cordless tools, but he is also available to you afterward for all questions about **eMONSTER** are available.



**EXCLUSIVE  
SERVICE**  
for your  
**eMONSTER  
Products!**

(only for  
registered customers)



*We Take service personally!*

The **KS TOOLS SERVICE** You can find them at



Email: [aftersales@kstools.com](mailto:aftersales@kstools.com)



WhatsApp: 0163-4924-526



# **SOMETHING FOR EVERYONE**



**WHETHER DRILLING, SCREWING, IMPACT DRILLING  
OR CUT-OFF GRINDING -  
THE **eMONSTER** SERIES OFFERS  
THE RIGHT TOOL FOR EVERYONE**



KSTOOLS  
**eMONSTER**  
**e18**



1

**ACCUMULATOR SYSTEM**



Extra protection  
for a long battery life



# ... *STAY IN A FAMILY*

515.6002



515.6004



515.6008




**2.0Ah**  
The lightweight

**4.0Ah**  
The all-rounder

**8.0Ah**  
The powerhouse

**SUPERCHARGE plus**





# WELCOME TO A NEW ERA OF PERFORMANCE AND RELIABILITY!

Our 18V cordless tools benefit from the groundbreaking technology of the **18650** and **21700** cells – a duo that will exceed your expectations.



**2.0Ah**  
*The lightweight*



**4.0Ah**  
*The all-rounder*

**⚡ SUPERCHARGE plus**



**8.0Ah**  
*The powerhouse*

## **18650 cells: Compact and powerful**


Welcome to a world of unsurpassed compactness and performance. Our 18650 cells define a new dimension of energy efficiency in an attractive, handy format. These cells are designed for those who are looking for exceptional performance in their devices. They offer a remarkable energy density that makes it enables you to master challenges with confidence – without compromising on user-friendliness.

## **21700 cells: top performance for demanding tasks**

For those who expect the highest performance, we proudly present our 21700 cells. With impressive capacity and remarkable endurance, these cells set new standards for high-performance 18V tools. This type of cell concentrates the same amount of energy as its 18650 counterparts but in a much more compact design. Rely on this concentrated energy to handle even the most demanding projects effortlessly and efficiently.



## Charging curve of a lithium battery

— Voltage  
- - Capacity



## Structure of a lithium-ion cell:

The **eMONSTER** lithium-ion technology revolutionizes battery technology and takes it to a new level. Durable, with no memory effect, low self-discharge, and a high energy density for powerful and enduring work. All this is combined by the **eMONSTER** battery system.



## Intelligent Control Board

for system communication between battery, charger, and device.



## Compact and robust design:

Thanks to high-quality plastics and solid screw connections, the battery offers particularly good protection against mechanical influences.



## Heat dissipation:

Due to the fin structure, the heat is transferred to the ambient air like a cooler.

## Optimized cell arrangement:

Due to the tubular structure, the individual cells are pushed into the heat-dissipating plastic. This creates a firm contact between the cell and the heat-dissipating plastic. There is no longer an insulating layer of air that reduces heat dissipation might.

***CAN IT BE COMPACT?***



***APPROX. 20% SMALLER THAN ITS BIG BROTHER***

# OR CAN IT BE DONE QUICKLY CHARGING YOUR BATTERIES?

515.6030

**eMONSTER Battery Charger 3A**  
for all 18V lithium-ion batteries  
of the **eMONSTER** series



**COMPACT**

**with 3A**

*or*

515.6080

**eMONSTER Battery Fast Charger 8A**  
for 18V Lithium-Ion Batteries  
of the **eMONSTER** series



**FAST CHARGER**

**with 8A**

**DISCOVER THE FUTURE OF CHARGING WITH OUR  
ADVANCED CHARGERS DESIGNED  
SPECIFICALLY FOR YOUR NEEDS!**

**Lightweight charger with 3A charging current:** Get ready for a new era of convenient charging. Our lightweight charger with 3A charging current offers a lightning-fast charging solution that goes with you wherever you go. Whether you're on the go or looking to upgrade your home, this charger offers the perfect combination of compactness and performance. Be impressed by the effortless adaptation to your electronic devices and enjoy fast, reliable charging without having to compromise.

**Powerful charger with 8A charging current:** For those who are looking for unparalleled power, we proudly present our powerful charger with 8A charging current. This charger sets new standards in terms of charging speed and efficiency. Whether it's sophisticated devices or you just want to use the. If you want the fastest possible charge, this charger delivers results that will impress you. Imagine recharging your batteries and accumulators in record time and having more time for the things that matter to you.

**Charger**

**515.6080**

**8A**



**Specifications:**

Battery voltage 18V  
 Battery technology Lithium-ion  
 Max. charging current 8A  
 Weight 620 g  
 Dimensions (LxWxH) 170 x 138 x 70 mm  
 operating mode Accumulator  
 Voltage 18V  
 Supply voltage 230V AC

**Charger**

**515.6030**

**3A**



**Specifications:**

Battery voltage 18V  
 Battery technology Lithium-ion  
 Max. charging current 3A  
 Weight 370 g  
 Dimensions (LxWxH) 145 x 115 x 80 mm  
 operating mode Accumulator  
 Voltage 18V  
 Supply voltage 230V AC



Accumulator



Charging with  
**515.6030**  
 bis 80%



Charging with  
**515.6030**  
 bis 100%



Charging with  
**515.6080**  
 bis 80%



Charging with  
**515.6080**  
 bis 100%



**515.6002**

35 min

41-47 min

35 min

40-44 min



**515.6004**

65 min

83-86 min

35 min

41-44 min



**515.6008**


135 min

164 min

52 min

72 min


# STATE-OF-THE-ART CHARGING TECHNOLOGY



## Intelligent Control Board

for system communication between battery, charger, and device.

The intelligent system protocol of the **eMONSTER** family connects the device, battery and Charger with each other. The communication of these components enables fast charging more effectively and gently. At the same time, through permanent monitoring of the components, various protective functions, such as overload protection, overvoltage or Undervoltage protection, temperature monitoring or Emergency shutdown, to be activated.



Attachment for wall mounting. The measurement of the drilling distance is already indicated.



## Active air cooling:

(only with an 8.0Ah fast charger)

The integrated fan of the 8.0Ah fast charger provides cool fresh air throughout the charging process to reduce heat generated in the battery and charger. This gentle charging process significantly increases the service life of the battery.



# HIGH EFFICIENCY

## **BRUSHLESS** MOTOR

### **What does BRUSHLESS mean?**

Classic electric motors use sliding contacts (carbon brushes) to create an electrical Establish contact between the rotor and stator. These carbons are subject to natural mechanical wear and tear and must be replaced in an application-frequented manner. This results in unnecessary costs for spare parts and services.

An **eMONSTER BRUSHLESS** Motor works without any sliding contacts. With this technology, there is no electrical contact between the rotor and the stator. As a result, it works almost wear-free and achieves significantly higher efficiency and speed due to reduced friction.


- + **ALMOST WEAR-FREE**
- + **HIGHER SPEEDS POSSIBLE**
- + **LOW-FRICTION**
- + **NO BRUSH FIRE**
- + **NO COSTLY SERVICES**
- + **NO MAINTENANCE INTERVALS**
- + **REDUCED HEAT GENERATION**
- + **LONGER SERVICE LIFE**

**Maximum POWER**  
**with less consumption!**

The **eMONSTER BRUSHLESS** motors can be used thanks to friction and temperature-poor properties and can develop significantly higher speeds. Thanks to this efficient technology, the **eMONSTER BRUSHLESS** devices are significantly more powerful than conventional devices with brushed motors. At the same time, they have significantly longer battery life, as the energy from the battery is not unnecessarily converted into heat or friction energy.







### Stator

(immovable part of an electric motor)



### Rotor

(moving part of an electric motor)



## eMONSTER Brushless Motor

### Cross-section device



### Front and back



# STURDY



## 100 % Piece-tested and sealed

### 1. Quick identification:

With company and your name, you save time when choosing a suitcase, especially in everyday business.

### 2. Avoidance of confusion:

Individual Labeling minimizes the risk of accidental takeaway by others on construction sites or in shared workspaces.

### 3. Theft:

Labeled suitcases are less likely to be stolen because they are easily identifiable as property, minimizing losses.



# PLASTIC CASE



Discover quality and functionality with our sturdy plastic case, metal hinges, and stainless steel fasteners. For discerning situations, it provides safe protection and long-lasting use. The resistant materials ensure a long service life, easy handling, and reliable safety. Trust our case for the optimal protection of your belongings - when traveling, in the workshop, or for professional use.



## Efficient organization:

With a labeled suitcase, you can not only display the name of your company but also the contents of the suitcase are marked via the pictogram. This makes it easier to organize and access the tools you need.







**515.6100** **eMONSTER** 1/2" brushless cordless screwdriver set  
with impact function, 9 pcs



**269,90** €

**eMONSTER 1/2" brushless cordless screwdriver set with impact function 515.6100 – Powerful with 690 Nm – Including 2 x 4.0 Ah rechargeable batteries and 8 A rapid charger – 10-year warranty on the brushless motor with online registration!**

- **square drive adaptor to DIN 3120 / ISO 1174**
- **With an industrial hammer mechanism**
- **powerful 690 Nm tightening and loosening torque**
- **Wear-resistant, brushless drive motor**
- **robust 2-component housing**
- **ideal for very long network independent working**
- **with practical clockwise and anticlockwise reversing function**
- **Powerful 18 V eMONSTER battery system**
- **High-performance lithium-ion battery**
- **Torque preselection adjustable in 3 steps**
- **Integrated rotation stop function during loosening**
- **with LED working light**
- **variable speed**
- **surge protection**
- **low-voltage protection**
- **short-circuit protection**
- **temperature monitoring**
- **Charge status visible via the test button on the battery**
- **Charge level indication via 3-colour LED display**
- **In robust eMONSTER plastic case**
- **Delivery includes two 4.0 Ah batteries and 8 A fast charger**

**Includes  
belt holder**



The eMONSTER 1/2" brushless cordless screwdriver with impact function has an impressively compact design and delivers an outstanding torque of 690 Nm. These features make it an indispensable companion in challenging work environments. The screwdriver with impact function offers the possibility of adjusting the torque in three stages to meet individual requirements. Furthermore, it has two different release mechanisms: the classic anti-clockwise rotation and the rotation stop function. This enables effortless loosening of screw connections, while the tool automatically detects when a screw connection has been unfastened, and switches off automatically. Thus, unintentional continued turning is prevented after a screw connection has already been loosened. This increases safety in the workplace.

The brushless motor of the cordless screwdriver with impact function significantly improves the running time per battery charge, resulting in less downtime and significantly extending the service life of the tool. The integrated LED lighting ensures optimal illumination of the work area, while the variable control of the speed of rotation enables

precise work. The 1/2" square drive is produced according to DIN 3120 / ISO 1174 and ensures a reliable connection.

The 4.0 Ah rechargeable batteries included in the set are real workhorses and are particularly suitable for use in challenging work areas. Thanks to the lithium-ion technology, there is no unwanted memory effect, which means that the rechargeable battery can be charged and discharged without any loss of capacity. In addition, the rechargeable battery is characterized by a low spontaneous discharge. The current state of charge of the rechargeable battery can be read at any time via a 3-stage LED display using the test button on the rechargeable battery. This means it is always possible to check how much energy remains, allowing you to plan your work efficiently.

The 8 A rapid charger charges the rechargeable battery extremely quickly and efficiently. The charger has a complex cooling system with active air cooling that effectively dissipates the heat generated during the charging process. This protects the rechargeable battery and significantly extends its service life. The LED

display on the charger shows the various states of charge of the rechargeable battery. The intelligent system protocol of the eMONSTER product family ensures an effective and gentle rapid charging function by networking the tool, rechargeable battery, and charger. By continuously monitoring these components, various protective functions such as overload protection, overvoltage or Undervoltage protection, temperature monitoring, or emergency shutdown can be activated in the event of a possible fault. Defective or exhaustively discharged rechargeable batteries are detected immediately, something which significantly increases operational safety.

The set is supplied with five impact sockets with sizes 15, 17, 19, 21, and 22 mm. The entire set is supplied in a sturdy plastic case for safe storage. The hinges and buckles of the case are made of stainless steel to ensure a long service life. In addition, the case offers a free labeling panel that allows the user to apply an individual identification, as well as pictograms that make it much easier to recognize the contents. An integrated compartment for small parts keeps things tidy.

**515.6100 eMONSTER 1/2" brushless cordless screwdriver set with impact function, 9 pcs**

- 1 Locking button / unlocking button
- 2 Accumulator
- 3 LED charge level indicator
- 4 Status LED
- 5 Battery interface
- 6 Air intakes (active cooling)
- 7 Lut outlet to the battery (active air cooling)



**max. 690 N·m**



- 1 Tool holder (outer square)
- 2 Clockwise/counterclockwise switch with switch-on lock
- 3 On/off switch
- 4 rubberized handle
- 5 Mounting hole for accessories
- 6 Belt clip
- 7 Accumulator
- 8 Mode display
- 9 Mode button
- 10 Work field lighting (LED)
- 11 Locking button / unlocking button
- 12 LED charge level indicator

**4.0Ah e18 2X LITHIUM-ION**





# HIGH EFFICIENCY BRUSHLESS MOTOR



**1x**

**Specifications:**

Battery technology	Lithium-ion
Torque max.	max. 690 Nm
Torque Stage 1	410 Nm
Torque Stage 2	550 Nm
Torque Stage 3	690 Nm
Speed per minute	0 - 2400 min <sup>-1</sup>
idle (n0)	2400 min <sup>-1</sup>
Drive	1/2" Square
Loading port	eMONSTER 18V battery system
Weight	1700 g*
Dimensions (LxWxH)	215 x 190 x 74 mm
Noise performance level dbA	108 dB(A)
Sound pressure level dbA	100 dB(A)
vibration acceleration	< 29 m/s <sup>2</sup>
operating mode	Accumulator
Voltage	18V
Charging time up to 80% with 515.6080	35 min

✓ **max. 690 N·m**



✓ **Selectable Auto-stop mode**  
after opening the screw connection, the device stops automatically

\*Weight for the basic unit



<b>3</b> STUFEN 	<b>1</b> 410 N·m 	<b>2</b> 550 N·m 
<b>3</b> max. 690 N·m 	<b>1/2"</b> SD 	<b>VARIABLE</b> BESCHWINDIGKEIT 
<b>1/2</b> 690 N·m 	<b>2/2</b> 690 N·m 	
<b>ÖFFNEN</b> ∞ 	<b>ÖFFNEN STOP</b> 	
<b>18V</b> eMONSTER TECHNOLOGIE 	<b>LITHIUM IONEN</b> TECHNOLOGIE 	<b>BRUSHLESS</b> MOTOR 

✓ **inclusive**

**1x 515.6080 Charger 8A**



**Specifications:**

Battery voltage	18V
Battery technology	Lithium-ion
Max. charging current	8A
Weight	620 g
Dimensions (LxWxH)	170 x 138 x 70 mm
operating mode	Accumulator
Voltage	18V
Supply voltage	230V AC

**2x 515.6004 Accumulator 4.0Ah**



**Specifications:**

Battery voltage	18V
Battery technology	Lithium-ion
Max. charging current	6A
Battery	4,000mAh
Weight	680 g
Dimensions (LxWxH)	116 x 76 x 69 mm
operating mode	Accumulator
Voltage	18V
operating temperature	5°C up to 40°C
Optimum operating temperature	25°C
Storage temperature	5°C up to 25°C



\*specified charging time up to 80% state of charge of the battery





**515.6200 eMONSTER brushless cordless angle grinder set, 4 pcs**



**299,90<sup>•</sup>**  
**€**

The **eMONSTER** brushless cordless angle grinder is a powerful tool that delivers impressive results with a remarkably low intrinsic weight. With its outstanding handiness and pleasant grip, it offers maximum control and comfort during work.

- suitable for a maximum pulley diameter of 125 mm
- 14 mm tool holder for all common abrasives
- Powerful 9000 rpm maximum rotational speed
- for powerful grinding, cutting, and polishing on small areas
- Wear-resistant, brushless drive motor
- robust 2-component housing
- ideal for very long network independent working
- Powerful 18 V eMONSTER battery system
- High-performance lithium-ion battery
- Speed can be adjusted in 6 steps via arrow keys
- Digital LED display to show the speed stage

- Various protective functions to safeguard the user and the device
- surge protection
- low-voltage protection
- short-circuit protection
- start-up protection
- temperature monitoring
- Charge status visible via the test button on the battery
- Charge level indication via 3-colour LED display
- In robust eMONSTER plastic case
- Delivery includes two 4.0 Ah batteries and 8 A fast charger

The brushless motor of the angle grinder significantly improves the running time per battery charge, resulting in less downtime and significantly extending the service life of the tool.

The tool holder consists of a high-quality 14 mm spindle thread, which ensures the abrasive disc is reliably secured. In addition, the clamping flange is equipped with an O-ring to increase safety during use.

Thanks to the digital speed regulation of the angle grinder, it is possible to work with abrasive discs that must not be allowed to exceed their maximum permitted speed. The speed can be regulated in six steps using the arrow keys. To ensure optimum protection, the hand guard can be quickly and conveniently adjusted with a quick-release fastener. Thanks to the vibration-damped handle, vibrations are effectively reduced and not transmitted directly to the hands. This allows for longer and more comfortable operating periods. The 4.0 Ah rechargeable batteries included in the

set are real workhorses, and ideally suitable for use in challenging work areas. Thanks to the lithium-ion technology, there is no unwanted memory effect, which means that the rechargeable battery can be charged and discharged without any loss of capacity. In addition, the rechargeable battery is characterized by a low spontaneous discharge. The current state of charge of the rechargeable battery can be read at any time via a 3-stage LED display using the test button on the rechargeable battery. This means it is always possible to check how much energy remains, allowing you to plan your work efficiently.

The included 8 A rapid charger charges the rechargeable battery extremely quickly and efficiently. The unit has a complex cooling system with active air cooling that effectively dissipates the heat generated during charging, and thus significantly extends the service life of the rechargeable battery. The LED display on the charger shows the various states of charge of the rechargeable battery. The intelligent

system protocol of the eMONSTER product family ensures an effective and gentle rapid charging function by networking the tool, rechargeable battery, and charger. By continuously monitoring these components, various protective functions such as overload protection, overvoltage or Undervoltage protection, temperature monitoring, or emergency shutdown can be activated in the event of a possible fault. Defective or exhaustively discharged rechargeable batteries are detected immediately, something which significantly increases operational safety.

The entire set is supplied in a sturdy plastic case for safe storage. The hinges and buckles of the case are made of stainless steel to ensure long durability. The case also offers a free labeling panel for individual identifications, as well as pictograms for better recognition of the contents. The case also has a space for an extra rechargeable battery, an area for cutting discs, and an integrated compartment for tidy storage of small parts.

515.6200 **eMONSTER** brushless cordless angle grinder set, 4 pcs

4.0Ah e18 2X LITHIUM-ION



12

- 1 Mudguard
- 2 Spindle
- 3 rubberized side handle
- 4 Spindle lock knob
- 5 Threaded bushing for handle
- 6 Speed control
- 7 On/off switch
- 8 rubberized main handle
- 9 Locking button / unlocking button
- 10 LED charge level indicator
- 11 Accumulator

- 1 Locking button / unlocking button
- 2 Accumulator
- 3 LED charge level indicator
- 4 Status LED
- 5 Battery interface
- 6 Air intakes (active cooling)
- 7 Lut outlet to the battery (active air cooling)



**Digital speed control**

- 12 Vents
- 13 Clamping flange with O-ring
- 14 Cut-off wheel / rough grinding wheel
- 15 Clamping nut
- 16 Clamping wrench



! Illustration of the mounting options



! Clamping wrench in the side handle



# HIGH EFFICIENCY BRUSHLESS MOTOR



**1x**

**max. 9000 min<sup>-1</sup>**

**Specifications:**

Idle (n0)	9.000 min <sup>-1</sup>
Loading port	eMONSTER 18V
battery system disc diameter	until 125 mm
weight	1440 g *
Dimensions (LxWxH)	320 x 104 x 66 mm
Noise performance level dbA	96 dB(A)
Sound pressure level dbA	85 dB(A)
vibration acceleration Main handle	< 4,831 m/s <sup>2</sup>
vibration acceleration side handle	< 3,371 m/s <sup>2</sup>
operating mode	Accumulator
Voltage	18V
Charging time up to 80% with 515.6080	35 min



\*Weight for the basic unit



**inclusive**

m=125 mm

max. 9000 min<sup>-1</sup>

DIGITAL DISPLAY

6 STUFEN

DIVERSE SCHUTZFUNKTIONEN

18V  
eMONSTER TECHNOLOGIE

LITHIUM IONEN TECHNOLOGIE

BRUSHLESS MOTOR

**1x 515.6080 Charger 8A**



**Specifications:**

Battery voltage	18V
Battery technology	Lithium-ion
Max. charging current	8A
Weight	620 g
Dimensions (LxWxH)	170 x 138 x 70 mm
operating mode	Accumulator
Voltage	18V
Supply voltage	230V AC

**2x 515.6004 Accumulator 4.0Ah**



**Specifications:**

Battery voltage	18V
Battery technology	Lithium-ion
Max. charging current	6A
Battery	4,000mAh
Weight	680 g
Dimensions (LxWxH)	116 x 76 x 69 mm
operating mode	Accumulator
Voltage	18V
operating temperature	5°C up to 40°C
Optimum operating temperature	25°C
Storage temperature	5°C up to 25°C



\*specified charging time up to 80% state of charge of the battery







**515.6300** **eMONSTER** brushless cordless screwdriver set  
with hammer drill function, 4 pcs



**189,90** €

**eMONSTER 18 V brushless cordless screwdriver set with hammer drill function 515.6300 – Powerful motor with 60 Nm, 13 mm Röhm metal quick-action drill chuck, torque preselection, 2-speed gear unit, 3-in-1 function, LED working light – Including 2x 2.0 Ah rechargeable batteries and charger – 10-year warranty on the brushless motor with online registration!**

- **13 mm Röhm metal quick-action drill chuck**
- **3-in-1 device with screwing, drilling, and hammer drilling function**
- **powerful 60 Nm maximum torque**
- **High-quality 2-speed gear unit**
- **Wear-resistant, brushless drive motor**
- **robust 2-component housing**
- **ideal for very long network independent working**
- **vibration acceleration in normal mode: 3.969 m/s<sup>2</sup> and 9.809 m/s<sup>2</sup> in hammer drilling mode**
- **with practical clockwise and anticlockwise reversing function**
- **Powerful 18 V eMONSTER battery system**
- **High-performance lithium-ion battery**

- **torque preselection adjustable in 25 steps**
- **with LED working light**
- **variable speed**
- **surge protection**
- **low-voltage protection**
- **short-circuit protection**
- **temperature monitoring**
- **Charge status visible via the test button on the battery**
- **Charge level indication via 3-colour LED display**
- **In robust eMONSTER plastic case**
- **Delivery includes two 2.0 Ah batteries and 3 A fast charger**

**Includes  
belt holder and  
magnetic bit  
holder**



The eMONSTER brushless cordless screwdriver with hammer drill function is an extremely versatile tool and the all-rounder in the eMONSTER range. This cordless screwdriver with a hammer drill function be used flexibly for hammer drilling, drilling, or screwdriver. With the integrated torque preselection, the force can be set precisely in 25 steps up to a maximum torque of 60 Nm. This makes the cordless screwdriver with hammer drill function extremely powerful and adaptable. The high-quality 2-speed gear unit enables operation at speeds of up to 450 rpm in first gear and up to 1900 rpm in second gear. This makes the screwdriver with impact function be used both for precise work and to make faster progress in demanding tasks.

The brushless motor of the cordless screwdriver with hammer drill function significantly improves the running time per battery charge, resulting in less downtime and significantly extending the service life of the tool. The integrated LED lighting ensures optimal illumination of the work area, while the variable control of the speed of rotation enables precise work. The high-quality 13 mm Röhm metal

quick-action drill chuck of the cordless screwdriver with hammer drill function offers reliable and fast tool holding.

The 2.0 Ah rechargeable batteries included in the set are extremely light at only 400 g each and make the cordless screwdriver with hammer drill function an ideal companion for light and flexible work areas. Thanks to the lithium-ion technology, there is no unwanted memory effect, which means that the rechargeable battery can be charged and discharged without any loss of capacity. In addition, the rechargeable battery is characterized by a low spontaneous discharge. The current state of charge of the rechargeable battery can be read at any time via a 3-stage LED display using the test button on the rechargeable battery. This means it is always possible to check how much energy remains, allowing you to plan your work efficiently.

The included 3 A charger charges the rechargeable battery quickly and efficiently. The LED display on the charger shows the various states of charge of the rechargeable battery. The intelligent system

protocol of the eMONSTER product family ensures an effective and gentle rapid charging function by networking the tool, rechargeable battery, and charger. By continuously monitoring these components, various protective functions such as overload protection, overvoltage or Undervoltage protection, temperature monitoring, or emergency shutdown can be activated in the event of a possible fault. Defective or exhaustively discharged rechargeable batteries are detected immediately, something which significantly increases operational safety.

The entire set is supplied in a sturdy plastic case for safe storage. The hinges and buckles of the case are made of stainless steel to ensure long durability. The case has a free labeling panel for individual identifications as well as pictograms for improved clarity of the contents. In addition, the case also includes a space for an extra rechargeable battery, a space for the matching eMONSTER bit set, and an integrated compartment for small parts so that small accessories can be stored tidily.

**515.6300 eMONSTER brushless cordless screwdriver set with hammer drill function, 4 pcs**

- 1 Locking button / unlocking button
- 2 Accumulator
- 3 LED charge level indicator
- 4 Status LED
- 5 Battery interface



- 1 Metal quick-release chuck
- 2 Clockwise / counterclockwise rotation switch with switch-on lock
- 3 On/off switch with speed control
- 4 rubberized handle
- 5 Mounting hole for accessories
- 6 Belt clip
- 7 Accumulator
- 8 Work field lighting (LED)
- 9 Locking button / unlocking button
- 10 Torque Adjustment
- 11 Switch screwing/drilling/impact drilling
- 12 Switches 1st and 2nd gear
- 13 LED charge level indicator

**13 mm Röhm metal quick-release chuck**



**2.0Ah e18 2X LITHIUM-ION**



# HIGH EFFICIENCY BRUSHLESS MOTOR



**1x**

**Specifications:**

Battery technology	Lithium-ion
Torque	max. 60 Nm
Idle (n0)	1.900 min <sup>-1</sup>
Idle gear 1	0-450 min <sup>-1</sup>
Idle gear 2	0-1.900 min <sup>-1</sup>
drive	13 mm Röhm metal quick-release chuck
charging port	eMONSTER 18V battery system
Weight	1230 g*
Dimensions (LxWxH)	195 x 74 x 195 mm
Noise performance level dbA	93 dB(A)
Sound pressure level dbA	85 dB(A)
vibration acceleration	< 9.809 m/s <sup>2</sup>
operating mode	Accumulator
Voltage	18V
Charging time up to 80% with 515.6030	35 Min

**max. 60 N•m**



\*Gewicht für das Grundgerät



**inclusive**

max. 60 N•M

25  
STUFEN

13 MM

2 - GANG  
GANG 1: 0-450 min<sup>-1</sup>  
GANG 2: 0-1900 min<sup>-1</sup>

3 IN 1

VARIABLE  
GESCHWINDIGKEIT

18V  
eMONSTER  
TECHNOLOGIE

LITHIUM IONEN  
TECHNOLOGIE

BRUSHLESS  
MOTOR

**1x 515.6030 Charger 3A**



**Specifications:**

Battery voltage	18V
Battery technology	Lithium-ion
Max. charging current	3A
Weight	370 g
Dimensions (LxWxH)	145 x 115 x 80 mm
operating mode	Accumulator
Voltage	18V
Supply voltage	230V AC

**2x 515.6002 Accumulator 2.0Ah**



**Specifications:**

Battery voltage	18V
Battery technology	Lithium-ion
Max. charging current	4A
Battery	2,000mAh
Weight	400 g
Dimensions (LxWxH)	116 x 76 x 51 mm
operating mode	Accumulator
Voltage	18V
operating temperature	5°C up to 40°C
Optimum operating temperature	25°C
Storage temperature	5°C up to 25°C



\*specified charging time up to 80% state of charge of the battery





**515.6400** **eMONSTER** brushless cordless screwdriver set  
with drill function, 4 pcs



**159,90** €



**eMONSTER 18 V brushless cordless screwdriver set with drill function 515.6400 – Powerful motor with 40 Nm, torque preselection, 2-speed gear unit, 2-in-1 function, LED working light - Including 2x 2.0 Ah rechargeable batteries and charger - 10-year warranty on the brushless motor with online registration!**

- **10 mm quick-action drill chuck**
- **2-in-1 device with screwing and drilling function**
- **powerful 40 Nm maximum torque**
- **High-quality 2-speed gear unit**
- **low weight of 770 g for the individual unit**
- **Wear-resistant, brushless drive motor**
- **robust 2-component housing**
- **ideal for very long network independent working**
- **with practical clockwise and anticlockwise reversing function**
- **Powerful 18 V eMONSTER battery system**
- **High-performance lithium-ion battery**

- **torque preselection adjustable in 22 steps**
- **with LED working light**
- **variable speed**
- **surge protection**
- **low-voltage protection**
- **short-circuit protection**
- **temperature monitoring**
- **Charge status visible via the test button on the battery**
- **Charge level indication via 3-colour LED display**
- **In robust eMONSTER plastic case**
- **Delivery includes two 2.0 Ah batteries and 3 A fast charger**

**Includes  
belt holder and  
magnetic bit  
holder**



At only 770 g, the eMONSTER brushless cordless screwdriver with drill function is the lightweight of the eMONSTER series. This cordless screwdriver with a drill function offers a flexible range of possible applications for drilling and screwdriving. With the integrated torque preselection, the force can be precisely set in 22 steps up to a maximum torque of 40 Nm. Thus, the cordless screwdriver with drill function is characterized by high performance and very low weight. The high-quality 2-speed gear unit enables operation at speeds of up to 400 rpm in first gear and up to 1500 rpm in second gear. This makes the cordless screwdriver with drill function suitable both for precise work and for making faster progress in demanding tasks.

The brushless motor of the cordless screwdriver with drill function significantly improves the running time per battery charge, resulting in less downtime and significantly extending the service life of the tool. The integrated LED lighting ensures optimal illumination of the work area, while the variable control of the speed of rotation enables precise work. The high-quality 10 mm quick-action drill

chuck of the cordless screwdriver with drill function offers reliable and fast tool holding.

The 2.0 Ah rechargeable batteries included in the set are extremely light at only 400 g each and make the cordless screwdriver with drill function an ideal companion for light and flexible work areas. Thanks to the lithium-ion technology, there is no unwanted memory effect, which means that the rechargeable battery can be charged and discharged without any loss of capacity. In addition, the rechargeable battery is characterized by a low spontaneous discharge. The current state of charge of the rechargeable battery can be read at any time via a 3-stage LED display using the test button on the rechargeable battery. This means it is always possible to check how much energy remains, allowing you to plan your work efficiently.

The included 3 A charger charges the rechargeable battery quickly and efficiently. The LED display on the charger shows the various states of charge of the rechargeable battery. The intelligent system protocol of the eMONSTER product family ensures

an effective and gentle rapid charging function by networking the tool, rechargeable battery, and charger. By continuously monitoring these components, various protective functions such as overload protection, overvoltage or Undervoltage protection, temperature monitoring, or emergency shutdown can be activated in the event of a possible fault. Defective or exhaustively discharged rechargeable batteries are detected immediately, something which significantly increases operational safety.

The entire set is supplied in a sturdy plastic case for safe storage. The hinges and buckles of the case are made of stainless steel to ensure long durability. The case has a free labeling panel for individual identifications, as well as pictograms for improved clarity of the contents. In addition, the case also includes a space for an extra rechargeable battery, a space for the matching eMONSTER bit set, and an integrated compartment for small parts so that small accessories can be stored tidily.

**515.6400** **eMONSTER** brushless cordless screwdriver set  
with drill function, 4 pcs

- 1 Locking button / unlocking button
- 2 Accumulator
- 3 LED charge level indicator
- 4 Status LED
- 5 Battery interface




- 1 Quick-release chuck
- 2 Clockwise/counterclockwise switch with switch-on lock
- 3 On/off switch with speed control
- 4 rubberized handle
- 5 Mounting hole for accessories
- 6 Belt clip
- 7 Accumulator
- 8 Work field lighting (LED)
- 9 Locking button / unlocking button
- 10 Torque Adjustment
- 11 Switch screwing/drilling
- 12 Switches 1st and 2nd gear
- 13 LED charge level indicator



**Only 770 g\***

\*Weight for the basic unit

**2.0Ah e18 2X LITHIUM-ION**



# HIGH EFFICIENCY BRUSHLESS MOTOR



**1x**

**Specifications:**

Battery technology	Lithium-ion
Torque	.max. 40 Nm
Idle (n0)	1.500 min <sup>-1</sup>
Idle gear 1	0-400 min <sup>-1</sup>
Idle gear 2	0-1.500 min <sup>-1</sup>
drive	10 mm quick-release chuck
charging port	eMONSTER 18V battery system
Weight	770 g*
Dimensions (LxWxH)	190 x 74 x 150 mm
Noise performance level dbA	82 dB(A)
Sound pressure level dbA	74 dB(A)
vibration acceleration	≤ 2.5 m/s <sup>2</sup>
operating mode	Accumulator
Voltage	18V
Charging time up to 80% with 515.6030	35 min

✓ **max. 40 N•m**



✓ **Only 770 g\***

\*Weight for the basic unit



✓ **inclusive**


**1x 515.6030 Charger 3A**

**Specifications:**



Battery voltage	18V
Battery technology	Lithium-ion
Max. charging current	3A
Weight	370 g
Dimensions (LxWxH)	145 x 115 x 80 mm
operating mode	Accumulator
Voltage	18V
Supply voltage	230V AC

**2x 515.6002 Accumulator 2.0Ah**

**Specifications:**



Battery voltage	18V
Battery technology	Lithium-ion
Max. charging current	4A
Battery	2,000mAh
Weight	400 g
Dimensions (LxWxH)	116 x 76 x 51 mm
operating mode	Accumulator
Voltage	18V
operating temperature	5°C up to 40°C
Optimum operating temperature	25°C
Storage temperature	5°C up to 25°C

**2.0 Ah**

\*specified charging time up to 80% state of charge of the battery





**515.6002 eMONSTER Rechargeable battery, 18V, 2.0Ah**



- 1 Locking button / unlocking button
- 2 Battery interface
- 3 Air intakes (active air cooling)
- 4 Nameplate
- 5 LED charge level indicator

**24,90 €**

**1x Battery**



**2.0Ah**

**Specifications:**

Battery voltage	18V
Battery technology	Lithium-ion
Max. charging current	4A
Battery	2,000mAh
Weight	400 g
Dimensions (LxWxH)	116 x 76 x 51 mm
operating mode	Accumulator
Voltage	18V
operating temperature	5°C up to 40°C
Optimum operating temperature	25°C
Storage temperature	5°C up to 25°C



\*specified charging time up to 80% state of charge of the battery

Accumulator	Charging with <b>515.6030</b> bis 80%	Charging with <b>515.6030</b> bis 100%	Charging with <b>515.6080</b> bis 80%	Charging with <b>515.6080</b> bis 100%
<b>515.6002</b>	35 min	41-47 min	35 min	40-44 min
<b>515.6004</b>	65 min	83-86 min	35 min	41-44 min
<b>515.6008</b>	135 min	164 min	52 min	72 min

**2.0Ah e18 2X LITHIUM-ION**

**eMONSTER 18 V 2.0 Ah rechargeable battery 515.6002 with integrated state of charge indicator -  
Powerful rechargeable battery for all 18 V eMONSTER tools from KS Tools - 2.0 Ah Li-Ion battery**

- ***lithium-ion technology***
- ***Low spontaneous discharge of the rechargeable battery for maximum productivity***
- ***No memory effect of the battery***
- ***suitable for all devices of the 18 V eMONSTER series***
- ***Robust plastic housing***
- ***User-friendly battery lock for a firm hold on the device***
- ***Additional cooling components for careful charging and discharging***
- ***Integrated automatic safety switching off***

- ***surge protection***
- ***low-voltage protection***
- ***short-circuit protection***
- ***Anti-heating technology that protects the battery from overheating***
- ***Charge status visible via the test button on the battery***
- ***Charge level indication via 3-colour LED display***
- ***capacity of 2.0 Ah***
- ***400 g***

The 18 V lithium-ion battery forms the heart of the eMONSTER series and is compatible with all 18 V eMONSTER tools. The 2.0 Ah rechargeable battery is the lightweight of this battery series, weighing only 400 g. It is particularly well suited for use in light and flexible work areas.

Thanks to the lithium-ion technology, there is no unwanted memory effect, which means that the rechargeable battery can be charged and discharged without any loss of capacity. In addition, the rechargeable battery is characterized by a low spontaneous discharge.

The rechargeable battery has overvoltage and short-circuit protection, as well as anti-heating technology that protects it from internal overheating. This ensures a long service life for the rechargeable battery and prevents damage. The individual cells are not arranged as a package in the housing but are inserted individually in a tubular structure. This means the heat that is generated is to be dissipated more efficiently to the cooling fins via the surrounding material. As a result, heat can dissipate quickly from the battery which prevents a heat build-up that could hurt capacity or service life.

The intelligent system protocol of the eMONSTER product family ensures an effective and gentle rapid charging function by networking the tool, rechargeable battery, and charger. By continuously monitoring these components, various protective functions such as overload protection, overvoltage or Undervoltage protection, temperature monitoring, or emergency shutdown can be activated in the event of a possible fault. Defective or exhaustively discharged rechargeable batteries are detected immediately, something which significantly increases operational safety.

The current state of charge of the rechargeable battery can be read at any time via a 3-stage LED display using the test button on the rechargeable battery. This means it is always possible to check how much energy remains, allowing you to plan your work efficiently.



**515.6004 eMONSTER Rechargeable battery, 18V, 4.0Ah**



- 1 Locking button / unlocking button
- 2 Battery interface
- 3 Air intakes (active air cooling)
- 4 Nameplate
- 5 LED charge level indicator

**39,90 €**

**1x Battery**



**4.0Ah**

**Specifications:**

Battery voltage	18V
Battery technology	Lithium-ion
Max. charging current	6A
Battery	4,000mAh
Weight	680 g
Dimensions (LxWxH)	116 x 76 x 69 mm
operating mode	Accumulator
Voltage	18V
operating temperature	5°C up to 40°C
Optimum operating temperature	25°C
Storage temperature	5°C up to 25°C



\*specified charging time up to 80% state of charge of the battery

Accumulator	Charging with <b>515.6030</b> bis 80%	Charging with <b>515.6030</b> bis 100%	Charging with <b>515.6080</b> bis 80%	Charging with <b>515.6080</b> bis 100%
<b>515.6002</b>	35 min	41-47 min	35 min	40-44 min
<b>515.6004</b>	65 min	83-86 min	35 min	41-44 min
<b>515.6008</b>	135 min	164 min	52 min	72 min

**4.0Ah e18 2X LITHIUM-ION**



**eMONSTER 18 V 4.0 Ah rechargeable battery 515.6004 with integrated state of charge indicator – Powerful rechargeable battery for all 18 V eMONSTER tools from KS Tools – 4.0 Ah Li-Ion battery**

- ***lithium-ion technology***
- ***Low spontaneous discharge of the rechargeable battery for maximum productivity***
- ***No memory effect of the battery***
- ***suitable for all devices of the 18 V eMONSTER series***
- ***Robust plastic housing***
- ***User-friendly battery lock for a firm hold on the device***
- ***Additional cooling components for careful charging and discharging***
- ***Integrated automatic safety switching off***
- ***surge protection***
- ***low-voltage protection***
- ***short-circuit protection***
- ***Anti-heating technology that protects the battery from overheating***
- ***Charge status visible via the test button on the battery***
- ***Charge level indication via 3-colour LED display***
- ***Capacity of 4.0 Ah***
- ***680 g***

The 18 V lithium-ion battery forms the heart of the eMONSTER series and is compatible with all 18 V eMONSTER tools. With a capacity of 4.0 Ah, this rechargeable battery is particularly suitable for demanding work areas.

Thanks to the lithium-ion technology, there is no unwanted memory effect, which means that the rechargeable battery can be charged and discharged without any loss of capacity. In addition, the rechargeable battery is characterized by a low spontaneous discharge.

The rechargeable battery has overvoltage and short-circuit protection, as well as anti-heating technology that protects it from internal overheating. This ensures a long service life for the rechargeable battery and prevents damage. The individual cells are not arranged as a package in the housing but are inserted individually in a tubular structure. This means the heat that is generated is to be dissipated more efficiently to the cooling fins via the surrounding material. As a result, heat can dissipate quickly from the battery which prevents a heat build-up that could hurt capacity or service life.

The intelligent system protocol of the eMONSTER product family ensures an effective and gentle rapid charging function by networking the tool, rechargeable battery, and charger. By continuously monitoring these components, various protective functions such as overload protection, overvoltage or Undervoltage protection, temperature monitoring, or emergency shutdown can be activated in the event of a possible fault. Defective or exhaustively discharged rechargeable batteries are detected immediately, something which significantly increases operational safety.

The current state of charge of the rechargeable battery can be read at any time via a 3-stage LED display using the test button on the rechargeable battery. This means it is always possible to check how much energy remains, allowing you to plan your work efficiently.



**515.6008 eMONSTER Rechargeable battery, 18V, 8.0Ah**



- 1 Locking button / unlocking button
- 2 Battery interface
- 3 Air intakes (active air cooling)
- 4 Nameplate
- 5 LED charge level indicator

**89,90 €**

**SUPERCHARGE plus**

**1x Battery**

**8.0Ah**



**Specifications:**

Battery voltage	18V
Battery technology	Lithium-ion
Max. charging current	8A
Battery	8,000mAh
Weight	950 g
Dimensions (LxWxH)	134 x 81 x 76.5 mm
Operating mode	Accumulator
Voltage	18V
operating temperature	5°C up to 40°C
Optimum operating temperature	25°C
Storage temperature	5°C up to 25°C



\*specified charging time up to 80% state of charge of the battery

Accumulator	Charging with 515.6030 bis 80%	Charging with 515.6030 bis 100%	Charging with 515.6080 bis 80%	Charging with 515.6080 bis 100%
<b>515.6002</b>	35 min	41-47 min	35 min	40-44 min
<b>515.6004</b>	65 min	83-86 min	35 min	41-44 min
<b>515.6008</b>	135 min	164 min	52 min	72 min

**8.0Ah e18 2X LITHIUM-ION**

**eMONSTER 18 V 8.0 Ah rechargeable battery 515.6008 with integrated state of charge indicator – Powerful rechargeable battery for all 18 V eMONSTER tools from KS Tools – 8.0 Ah Li-Ion battery**

- ***lithium-ion technology***
- ***Low spontaneous discharge of the rechargeable battery for maximum productivity***
- ***No memory effect of the battery***
- ***suitable for all devices of the 18 V eMONSTER series***
- ***Robust plastic housing***
- ***User-friendly battery lock for a firm hold on the device***
- ***Additional cooling components for careful charging and discharging***
- ***Integrated automatic safety switching off***

The 18 V lithium-ion battery forms the heart of the eMONSTER series and is compatible with all 18 V eMONSTER tools. With an impressive capacity of 8.0 Ah, this rechargeable battery is ideal for demanding work areas where a longer operating duration is required. Thanks to the high-quality 21700 cells, this rechargeable battery offers maximum performance in terms of charging time and endurance, in an equally compact design.

Thanks to the lithium-ion technology, there is no unwanted memory effect, which means that the rechargeable battery can be charged and discharged without any loss of capacity. In addition, the rechargeable battery is characterized by a low spontaneous discharge.

The rechargeable battery has overvoltage and short-circuit protection, as well as anti-heating technology that protects it from internal overheating. This ensures a long service life for the rechargeable battery and prevents damage. The individual cells are not arranged as a package in the housing but are inserted individually in a tubular structure. This means the heat that is generated is to be dissipated more efficiently to the cooling fins via the surrounding material. As a result, heat can dissipate quickly from the battery which prevents a heat build-up that could hurt capacity or service life.

- ***surge protection***
- ***low-voltage protection***
- ***short-circuit protection***
- ***Anti-heating technology that protects the battery from overheating***
- ***Charge status visible via the test button on the battery***
- ***Charge level indication via 3-colour LED display***
- ***powerful and compact 21700 cells***
- ***capacity of 8.0 Ah***
- ***950 g***

The intelligent system protocol of the eMONSTER product family ensures an effective and gentle rapid charging function by networking the tool, rechargeable battery, and charger. By continuously monitoring these components, various protective functions such as overload protection, overvoltage or Undervoltage protection, temperature monitoring, or emergency shutdown can be activated in the event of a possible fault. Defective or exhaustively discharged rechargeable batteries are detected immediately, something which significantly increases operational safety.

The current state of charge of the rechargeable battery can be read at any time via a 3-stage LED display using the test button on the rechargeable battery. This means it is always possible to check how much energy remains, allowing you to plan your work efficiently.







**KSTOOLS**

# 515.6030 eMONSTER battery charger, 3 A



Attachment for wall mounting. The measurement for the drilling distance is already indicated.

**1x Charger**



### Specifications:

Battery voltage	18V
Battery technology	Lithium-ion
Max. charging current	3A
Weight	370 g
Dimensions (LxWxH)	145 x 115 x 80 mm
operating mode	Accumulator
Voltage	18V
Supply voltage	230V AC

**3A**

**! The optimum temperature to charge the battery is 25°C. Below 20°C, the charging power is reduced to protect the battery**

	LED	Abstract
1	green LED flashes	▶ powered by mains voltage and wide for charging
2	red LED flashes	▶ reached; Battery does not charge
3 + 4	Both LEDs light up	▶ plugged in and charging
5	Green LED lights up	▶ fully charged
6	red and green LED flashing	▶ defect in the battery

**19,90 €**

Accumulator	Charging with 515.6030 bis 80%	Charging with 515.6030 bis 100%	Charging with 515.6080 bis 80%	Charging with 515.6080 bis 100%
<b>515.6002</b>	35 min	41-47 min	35 min	40-44 min
<b>515.6004</b>	65 min	83-86 min	35 min	41-44 min
<b>515.6008</b>	135 min	164 min	52 min	72 min

**3A e18 2X LITHIUM-ION**

**eMONSTER** charger 515.6030 for all 18 V lithium-ion batteries – Robust plastic housing, automatic safety cut-out, LED status indicator – Max. 3 A charging current, suitable for wall mounting or for placing on a flat surface

- *suitable for all 18 V lithium-ion batteries of the eMONSTER series*
- *Robust plastic housing*
- *Integrated automatic safety switching off*
- *LED status indicator*
- *charger with max. 3 A charging current*
- *to be used free-standing or for wall mounting*

The eMONSTER 3 A charger offers an impressively compact and functional design, which ensures optimal charging conditions. With a charging current of 3 A, it is ideally suited for the 2.0 Ah rechargeable batteries of the eMONSTER series.

The LED display on the charger shows the various states of charge of the rechargeable battery. The intelligent system protocol of the eMONSTER family ensures an effective and gentle rapid charging function by networking the tool, rechargeable battery, and charger. By continuously monitoring these components, various protective functions such as overload protection, overvoltage or Undervoltage protection, temperature monitoring, or emergency shutdown can be activated in the event of a possible fault. Defective or exhaustively discharged rechargeable batteries are detected immediately, something which significantly increases operational safety.

The robust plastic housing of the charger offers convincing performance even in demanding working environments.

To meet individual needs, the charger can be used either standing on a flat surface or wall-mounted. For effortless wall mounting, the dimension for the drilling distance (in mm) of the bracket is already marked on the charger. This allows for easy and precise installation.

**515.6080 eMONSTER fast battery charger, 8 A**



Attachment for wall mounting. The measurement for the drilling distance is already indicated.

**1x Charger**



**Specifications:**

Battery voltage	18V
Battery technology	Lithium-ion
Max. charging current	8A
Weight	620 g
Dimensions (LxWxH)	170 x 138 x 70 mm
operating mode	Accumulator
Voltage	18V
Supply voltage	230V AC

**8A**

**! The optimum temperature to charge the battery is 25°C. Below 20°C, the charging power is reduced to protect the battery**

LED	Abstract
1	green LED flashes → powered by mains voltage and wide for charging
2	red LED flashes → reached; Battery does not charge
3 + 4	Both LEDs light up → plugged in and charging
5	Green LED lights up → fully charged
6	red and green LED flashing → defect in the battery

**59,90 €**

Accumulator	Charging with 515.6030 bis 80%	Charging with 515.6030 bis 100%	Charging with 515.6080 bis 80%	Charging with 515.6080 bis 100%
<b>515.6002</b>	35 min	41-47 min	35 min	40-44 min
<b>515.6004</b>	65 min	83-86 min	35 min	41-44 min
<b>515.6008</b>	135 min	164 min	52 min	72 min

**8A e18 2X LITHIUM-ION**



**eMONSTER rapid charger 515.6080 for 18 V lithium-ion rechargeable batteries – Robust plastic housing, intelligent rechargeable battery sensor system, automatic safety cut-out – Active air cooling, LED status indicator – Max. 8 A charging current, for wall mounting or standing on a flat surface**

- *suitable for all 18 V lithium-ion batteries of the eMONSTER series*
- *Robust plastic housing*
- *Fan for cooling battery and charger (active air cooling)*
- *Intelligent battery sensor technology for setting the correct charging current*
- *Integrated automatic safety switching off*
- *LED status indicator*
- *Fast charger with max. 8 A charging current*
- *to be used free-standing or for wall mounting*

The eMONSTER 8 A rapid charger offers an impressively compact and functional design, which ensures optimal charging conditions. With an impressive charging current of 8 A, it is perfectly suited for all rechargeable batteries of the eMONSTER series. Especially rechargeable batteries with a larger capacity benefit from this higher charging current, as it allows the rechargeable battery to be charged much faster.

The LED display on the charger shows the various states of charge of the rechargeable battery. The intelligent system protocol of the eMONSTER family ensures an effective and gentle rapid charging function by networking the tool, rechargeable battery, and charger. By continuously monitoring these components, various protective functions such as overload protection, overvoltage or Undervoltage protection, temperature monitoring, or emergency shutdown can be activated in the event of a possible fault. Defective or exhaustively discharged rechargeable batteries are detected immediately, something which significantly increases operational safety.

The robust plastic housing of the charger offers convincing performance even in demanding working environments. In addition, an integrated fan ensures efficient cooling of the rechargeable battery and charger. The ventilation inlets and outlets of the rechargeable battery and charger are lined up flush with one another during charging, thereby improving cooling performance through active air cooling.

To meet individual needs, the charger can be used either standing on a flat surface or wall-mounted. For effortless wall mounting, the dimension for the drilling distance (in mm) of the bracket is already marked on the charger. This allows for easy and precise installation.





**515.6932** 1/4" **TORSION**power bit box in **eMONSTER** design, 32 pcs

**32**  
STK/PCS

1/4"



**TORSION**power



- 1 x  1/4"

---

- 1 x  1/4"

---

- 4 x  3 - 4 - 5 - 6 mm

---

- 4 x  PH1 - 2 x PH2 - PH3

---

- 4 x  PZ1 - 2 x PZ2 - PZ3

---

- 4 x  3 - 4 - 5 - 6 mm

---

- 7 x  T10 - T15 - T20 - T25 - T27 - T30 - T40

---

- 7 x  TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40

**9,90**  
€

**KS Tools eMONSTER TORSIONpower bit set 515.6932 in rechargeable battery design – 32-piece set for precise screw connections – Magnetic bit holder and socket adapter included – Ideal for trade and industry – In sturdy 2-part plastic box**

- **External hexagon drive to DIN 3126 / ISO 1173 - C 6,3**
- **can be used by hand or with an electric screwdriver**
- **color coding**
- **includes magnetic quick-release bit holder and 1/4" socket adapter**
- **Ideally suited for fittings in trade and industry**
- **precise and orderly arrangement of the popular 1/4" bits**
- **Special tool steel**
- **In sturdy 2-part plastic box in eMONSTER battery design**
- **can be connected and locked to the 18 V eMONSTER devices as a dummy battery**


The eMONSTER torsion bit set is the perfect companion for your eMONSTER cordless screwdriver and features an impressive matching design in the style of an eMONSTER rechargeable battery. Both visually appealing and extremely practical, this bit set is – as you would expect – compatible with eMONSTER cordless tools. The profile of the 1/4" torsion bits is quickly and easily recognizable thanks to clever color coding. This comprehensive set contains a bit holder, an adapter for sockets, and a total of 30 bits with different profiles such as Torx, slotted, cross-head, and hexagon sockets. With this set, you will have the right tool at hand for almost any screw-driving task. The high-quality workmanship and precisely manufactured bits ensure reliable and efficient use. Whether you want to carry out screw-driving work in the home, workshop, or construction site, the eMONSTER torsion bit set offers you the versatility and quality you need to bring your projects to a successful conclusion.





**KSTOOLS**

**KSTOOLS**



KSTOOLS




**515.6901** **eMONSTER** tool cabinet for wall mounting


**Even more accessories  
for your bar?**



**6 cable grommets**




**Designed for wall mounting**



**179,00**  
€

**Including built-in switchable  
4-way power strip for Schuko plugs and  
2 USB-A sockets ✓**





**eMONSTER** wall-mountable tool cabinet 515.6901 made of sturdy sheet steel construction -  
With cylinder lock and hole system - Including 4-outlet socket adapter and space for 18 V cordless tools -  
You can keep your accessories organized!

- **including permanently installed switchable 4-fold socket strip for earthed plugs and 2 USB-A sockets**
- **Offers space for hanging 4 eMONSTER 18 V devices**
- **Sufficient space to place and organize chargers and accessories such as drill bit sets, batteries, and abrasives**
- **Very stable steel construction with 0,8 mm sheet steel - distortion-resistant**
- **Electrostatic powder coating**
- **Locking the door with a cylinder lock with a color marking**
- **Side walls with metal peg board for mounting different accessories**
- **suitable for hole measurements 10 x 10 mm - hole distance 38 mm**
- **4 mounting holes for wall mounting**
- **Six 50 mm holes in the housing for feeding through the electrical supply cable**
- **1,8-meter cable length**

The eMONSTER tool cabinet is the ideal storage system for your cordless tools. The lower section of the tool cabinet allows four cordless tools to be hooked in. With ample storage space, it also offers room for up to four chargers, spare rechargeable batteries, and accessories, both inside the cabinet and on top of it. Both shelves are equipped with a foam pad. The 10 x 10 mm hole system on both sides allows various hooks to be fitted for fastening accessories.

An integrated switchable multiple-outlet socket adapter can accommodate four Schuko plugs and two USB-A charging cables, which opens up a variety of charging options.

The 1.8 m long connection cable can be routed upwards, to the side, or directly to the rear, depending on the mounting position. The side, rear, and top 50 mm cable grommets allow for optimal cable management.

The tool cabinet has an integrated, color-coded lock that ensures secure storage. The color coding indicates the locking status using red or green, which makes it easy to check.



# ✓ 18V eMONSTER battery system

The powerful 18V eMONSTER battery system combines a range of professional battery-powered power tools. All tools can be operated with a battery system. The range is broad and is being constantly expanded. Each new device can also be used with this battery system. So you can use this battery system for many years and expand it with eMONSTER 18V devices - you remain in one battery family.



## ✓ Compact and robust design:

Thanks to high-quality plastics and tight screw connections the battery offers particularly good protection against mechanical influences.



## ✓ Heat dissipation:

Due to the ribbed structure, the heat is dissipated to the surrounding ambient air.

## ✓ Active air cooling:

(8.0Ah fast charger only). The integrated fan of the 8.0Ah quick charger continuously supplies cool fresh air during the charging process. Cool fresh air during the charging process to reduce the heat generated in the charger. This gentle charging process the service life of the battery is significantly increased.



## ✓ Optimized cell arrangement:

Due to the tubular structure, the individual cells are pushed into the heat-dissipating plastic. This creates a firm contact between the cell and the heat-dissipating plastic. There is no longer an insulating layer of air between the cell and the heat-dissipating plastic, which reduces heat dissipation.

## ✓ Additional protection for a long life of the battery:

### Overvoltage protection:

- Protection against impermissibly high voltage sources

### Low voltage protection:

- Protection against deep discharge during operation

### Temperature management:

- Interaction of device and battery to prevent overloading of the battery

